



26W LED EH80 Utility Luminaire Hard Wire - 5000K

DLC Model# 725-703
L26EH80-W/LB/50K



1 LAMP SPECIFICATION

1-1	Lamp Type	EH80
1-2	Dimmable (Y/N)	No
1-3	Base	With Hard Wire Connector
1-4	Lamp Finish/Type	EH80 Utility Light
1-5	Lamp Wattage	26W
1-6	Wattage Comparison (FC on Floor)	32W-T8 / 55W CFL
1-7	Rated Average Life (hours) L70	50,000
1-8	Reliable Operating Temperature	-4F to 113F

2 Photometric Characteristics

2-1	Initial Lumens	3170
2-2	Centre Beam Candle Power (Cd)	750
2-3	Beam Angle (50% I Max) in Degree	130
2-4	Initial Lumens per Watt	122
2-5	Color Temperature	5000K
2-6	Color Rendering Index (CRI)	80

NEMA 4X



ETL CLASSIFIED



Not all products are qualified on the DLC QPL. To view DLC qualified products, please consult the DLC qualified products list at www.designlights.org/qpl

3 Electrical Characteristics

3-1	Input Line Voltage/Frequency	120V-277V 60 Hz	3-2	Power Factor	>0.90
3-3	Lamp rated Wattage	26W	3-4	Input Line Current (120/277V)	240/105mA
3-5	Total Harmonic Distortion	<20%	3-6	Dimming Range in %	non dim

4 Dimensional Characteristics

4-1	Nominal Length (Inches/mm)	5.28" / 134 mm	4-2	Diameter	4.13" / 105 mm
-----	----------------------------	----------------	-----	----------	----------------

5 Product Information

5-1	Description	26W LED EH80 Utility Luminaire Hard Wire Connector - 5000K		
5-2	Primary Application	Commercial, Industrial, Agriculture, Refrigerator, Tunnel, Walk Way		
5-3	Warranty	5 Years from date of purchase		
5-4	HAZLOC	UL844, Class1, Divison 2 Group A-D T4 Ambient temperature -20°C < Ta < 40°C		
5-5	Ordering code	725-703 (ceiling mount)	5.8	ETL - Wet Location YES,NEMA 4x

6 PACKING DETAILS

6-1	Color Box Size (Inches)	1x1	4.6 x 4.6 x 5.9	6-2	Inner Carton Size (Inches)	N/A
6-3	Master Carton Size (Inches)	1x12	19.09 x 14.37 x 6.69	6-4	Gross Weight / Net Weight (lbs)	16.53 / 12.13

01/2024© Overdrive For more information visit www.overdrive-lighting.com

Note: This data sheet is not controlled copy & is subject to change without notice. Standard Tolerances apply on data given above.